Old Property Line

Murray Avenue

127.0

Distribution Box

206.10'

75.0

59.35

Stone Mon.

70.0'

34.39'

24.55

77.98'

90°

100'

4 Lines at 45' 8' c.c.

Tight joints

Septic Tank

10' Min.

Existing House

G.

Water Service Line

Existing Invert 219.1

Lot 2

Previously Approved

Existing House

Existing Invert 216.9

Lot 1

Existing House tile

Inlet 216.7

Existing 12" V.C. Pipe Inv. 218.6±

Lot 4

Same as lot 2

Lot 3

Same as lot 2

Note: Tile field design is based on 3 bedroom house and 15 minute percolation test. 2 Foot trenches to be used. No part of disposal system to be within 10' of house or side lot lines. Front of lot to be graded down to street.

Inv. 216.5 Junction Box

Proposed 5" Transite Pipe

0.50%

218.8

15' Drainage Easement

Outlet Inv 216.24

Proposed Inv 217.12 Junction Box Inlet Inv. 217.8

Pipe to be extended if necessary

Proposed 1%

224.7'

Proposed Drainage Easement

Lot 5 Blodgett

Existing Ditch

℄ creek 216.9'

217.8

Ditch to be extended to low area

Northerly Goes

110.70

80.

23.07

176.03

212.23

210.35

134.7

98.83

189.63

159.34

204.68

217.1 ℄ creek

Now or Formerly Blodgett

Junction Box to be provided if drainage required. Proposed Inv 218.7±

PARCEL OF LAND TO BE CONVEYED BY NICHOLAS GOES TO JOHN PITTZ

Delmar

ALBANY COUNTY NEW YORK

Scale 1" = 40'

Sept. 14-1953

Revised Oct. 16-1953 Revised April 15-1954

Survey and Map by
Edward W. Boutelle & Son
Civil Engineers & Surveyors
Delmar - N.Y.
N.Y. State License

0 INCHES 1 2
3188 D-19 TOWN OF BETHLEHEM

V-203