

PRUNING SHALL BE IN ACCORDANCE WITH APPROVED HORTICULTURAL STANDARDS IN ORDER TO PRESERVE THE NATURAL FORM OF THE SPECIFIC PLANTS. IF APPLICABLE & APPROVED BY THE LANDSCAPE ARCHITECT, ONE FOURTH TO ONE-THIRD OF THE WOOD SHALL BE REMOVED BY THINNING OUT TO BALANCE ROOT LOSS DUE TO TRANSPLANTING.

BLACK RUBBER REINFORCED HOSE NOT LESS THAN 1/2" I.D. ABOVE FIRST SET OF BRANCHES

2 STRANDS OF 12 GAUGE GALV. WIRE, TWISTED
2" x 2" x 8'-0" POINTED CEDAR STAKES: 3 STAKES PER TREE - DRIVE AT ANGLE AND DRAW VERTICAL

GUY WIRES - DOUBLESTRAND # 12 GALVANIZED WIRE, 3 PER POINT
TREEWRAP - 6" WIDE HEAVY DUTY BURLAP
TURNBUCKLE - 1/4" x 4"

CUT BURLAP FROM TOP 1/3 OR ROOT BALL

4" MULCH - FINELY SHREDDED BARK MULCH (SAMPLE TO BE APPROVED)

3" SOIL SAUCER TYP. FINISHED GRADE



TOP SOIL

SUBSOIL

PLANTING MIX

COMPACT PLANTING MIX BELOW BALL, PITCH TO PERIMETER OF PIT



EQUALS TWICE BALL DIAMETER




STAKING
STAKE DECIDUOUS TREES UNDER 3" CAL. AND EVERGREEN TREES UNDER 8" HT.

GUYING
GUY DECIDUOUS TREES OVER 3" CAL. AND EVERGREEN TREES OVER 8" HT.


1 TREE PLANTING



8 TREE PROTECTION




2 SHRUB PLANTING



NOTES:
1. SEE SITE PLAN FOR ACCESSIBLE SPACE LOCATION AND DIMENSIONS.
2. PROVIDE 2 COATS OF PAINT ON ALL SURFACES


3 TYPICAL ACCESSIBLE PARKING SPACE DETAIL




NOTE:
1. PROVIDE 2 COATS OF PAINT ON ALL SURFACES
2. SEE PLAN FOR ACTUAL SPACE LOCATIONS AND DIMENSIONS

4 TYPICAL PARKING SPACE DETAIL


NOTES:
1. SIDEWALK SLOPE FROM BUILDING WALL TO CURB TO BE 1/4" PER FOOT
2. SIDEWALK FINISH TO BE MAGNESIUM FLOAT FINISH
3. CONCRETE WALK TO CONFORM TO N.Y.S.D.O.T. SPECIFICATIONS.




5 CONCRETE WALK DETAIL IN STATE R.O.W.




6 ON-SITE BITUMINOUS CONCRETE PAVEMENT



7 BITUMINOUS CONCRETE PAVEMENT (STATE R.O.W. ONLY)



SECTION A-A




NOTE: 1) MINIMUM DIMENSION FOR RETAINING WALL ONLY. ONCE BLDG. LOADS & DESIGN ARE KNOWN, FTG. SIZE MUST BE CHECKED.
2) WALL DESIGN ADEQUATE UP TO A 5' STEM

FOUNDATION WALL

9 REINFORCEMENT DETAIL

NOTE: 1) SEE REINFORCED RETAINING WALL DETAIL FOR DIMENSIONS.



10 DO NOT ENTER SIGN

Copyright 1999
Vollmer Associates LLP
Engineers, Landscape Architects, Planners
All rights reserved.
Unauthorized duplication is a violation of applicable laws.

DATE	RECORD OF WORK	APPR.
11-10-99	REVISED PER TOWN OF BETHLEHEM COMMENTS	R.M.D.
11-23-99	REVISED PER COLUMBIA DEVELOPMENT CORPORATION COMMENTS	R.M.D.

DRAWN BY: R.D. DAVIS JR. FIELD SURVEY: _____ CHK BY: R.M. DEMPFF

ENGINEERS - LANDSCAPE ARCHITECTS - PLANNERS
Pine West Plaza, Building 1A
Washington Ave. Extension, Albany, NY 12205-5510
Tel 518-452-4358 Fax 518-452-9234

Unauthorized alteration or addition to this map is a violation of section 7209, sub-division 2 of the New York State Education Law.
Only copies from the original of this map bearing on original signature and the embossed seal of the preparer shall be considered to be true and valid copies.

N.Y.S. LIC. NO. 067234
R. Mark Dempp
R. MARK DEMPFF P.E.

PROPOSED OFFICE BUILDING
347 DELAWARE AVENUE * TOWN OF BETHLEHEM
COUNTY OF ALBANY * NEW YORK
MISCELLANEOUS DETAILS

Sheet No. SD-2
Cadd
DATE: November, 1999 SCALE: NONE
4081394331_Volp/1642