




GENERAL NOTES







1. Lot Numbers shown to be used as house numbers.
2. Design of septic tank and tile based on number of bedrooms and a 12 minute percolation test.
3 Bedroom house requires 900 gallon septic tank (dimension A = 4'-11").
4 Bedroom house requires 1000 gallon septic tank (dimension A = 5'-6").
Tank and field capacity adequate to provide for automatic kitchen and laundry equipment.
Commercial tanks and distribution boxes of an approved design may be substituted for those shown.
3. Sewer lines from house to septic tank, from septic tank to distribution box, from distribution box to disposal trench to be cast iron pipe with lead joints. Septic tank to be filled with water before pipes are connected.
4. Elevations shown refer to U.S.C. and G.S. level datum. Bench mark: top monument located S.E. corner Westchester Drive South and Wisconsin Avenue, elevation 203.17
Proposed elevations shown as x 204.90
5. Cellar drainage to be discharged to drainage system.





For lots 66 and 72. Disposal field shown is for 4 bedroom house. Delete one line for 3 bedrooms.

For remaining lots. Disposal field shown is for 4 bedroom house. 3 bedroom house requires 4 lines 38' long with connected ends.

SCALE 1"=30'



Note: Inverts of all outlets in any one distribution box to be at same level. Sump depth not to exceed 3". Invert of inlet to be at least 1" above outlet invert level.



PLANNING BOARD
TOWN OF BETHLEHEM
ALBANY COUNTY, NEW YORK
This plat APPROVED subject to such conditions as are stated in Planning Board Certificate of Approval No. 7, dated June 8, 1963
Howard P. Palbok
Chairman
Date June 8, 1963

ALBANY COUNTY DEPARTMENT OF HEALTH
This is to certify that the proposed arrangements for water supply and sewerage for Westchester Park, Sec. 4, realty development in the Town of Bethlehem are approved subject to the conditions listed in letter of this date, and in accordance with Article X of the Albany County Sanitary Code. Consent is hereby given for the filing of this map in the Office of the Albany County Clerk.
Date DEC 10 1962
By Mark C. Lough, Jr., Commissioner of Health
Dr. Div. Environmental Health Services

MAP OF
"WESTCHESTER PARK"
SECTION 4
PROPERTY OF
KLETSY BUILDING CORPORATION
DELMAR
ALBANY COUNTY
NEW YORK
JUNE 15-1962
Survey and Map by
Edward W. Boutelle and Son
Civil Engineers and Surveyors
Delmar, N.Y.