





STANDARD MANHOLE COVER

(Not to Scale)


M. H. Cover to weigh not less than 150#
M. H. Frame to weigh not less than 250#
M. H. Cover to be lettered "BETHLEHEM SEWER DISTRICT"



There shall be a joint in all sewer lines not more than 2'-0" from outside face of M.H.


STANDARD MAN HOLE

(Not to Scale)




MANHOLE STEPS

(Not to Scale)




CONCRETE PIPE CRADLE

(Not to Scale)




DETAIL OF LATERAL CONNECTION

(Not to Scale)



DETAIL OF VERTICAL PIPE RISER

(Not to Scale)



SEWER PIPE TRENCH DETAILS

(Not to Scale)

PHEASANT LANE

SECTION NO. 2

WOODSTREAM DRIVE

PLAN

Scale: 1" = 40'

North

TYPICAL LOT LAYOUT

(Not to Scale)

VICINITY MAP

Not to Scale

Albany County Health Department Approval

ALBANY COUNTY DEPARTMENT OF HEALTH

This is to certify that the proposed arrangements for water supply and sewerage for the development in the Town of Bethlehem, New York, are approved subject to the conditions listed in letter of this date, and in accordance with Article X of the Albany County Sanitary Code. Consent is hereby given for the filing of this map in the Office of the Albany County Clerk.

Date: NOV 19 1976
By: [Signature] Dir. Div. Environmental Health Service


Town Planning Board Approval

PLANNING BOARD TOWN OF BETHLEHEM ALBANY COUNTY, NEW YORK

This plat APPROVED subject to such conditions as are stated in Planning Board Certificate of Approval No. 177, dated OCT 28 1976

By: [Signature] Title: CHAIRMAN
Date: NOV 15 1976

INCHES
Town of Bethlehem, NY



NOTES:

- Proposed finished grades shown thus 220.00
- Proposed 8" D.I. water main shown thus -W-
- Water main material, size and location determined by Water District No. 1, Town of Bethlehem.
- All easements shown to be granted to the Town of Bethlehem.
- Elevations refer to U.S.C.S. datum. Bench mark no. 89 Bethlehem Sewer District hydrant n.p.a. Elev. 205.57.
- Water lines will be constructed above the sanitary sewer lines with min. 18' clearance.
- Exact limit of street construction to be determined by town.

Map of:

WOODSTREAM SECTION-4

Property of:

BUILT-MOR CONTRACTING CORP.

Town of Bethlehem

Albany County

New York

Scale: as shown

August 17, 1976

Map Prepared by:

PAUL E. HITE

Licensed Land Surveyor

Delmar, N.Y.

Revised: 10/20/76 Various Notes
Revised: 8/27/76 Pipe location & Riser Notes