

S.W.P.P.P. REQUIREMENTS

1. THE CONTRACTOR UNDERTAKING SITE CONSTRUCTION OF THIS PROJECT MUST SIGN THE CERTIFICATION IN THE SWPPP AND BE FAMILIAR WITH ALL REQUIREMENTS OF THE SWPPP AND REQUIREMENTS OF THE NYS DEC SPDES GENERAL PERMIT FOR STORMWATER DISCHARGES FROM CONSTRUCTION ACTIVITY - PERMIT No.-GP-0-10-001.
2. THE CONTRACTOR MUST BE RESPONSIBLE TO COMPLY WITH THE TERMS OF THE NYS DEC SPDES GENERAL PERMIT FOR STORMWATER DISCHARGES FROM CONSTRUCTION ACTIVITY - PERMIT No. GP-0-10-001. COPIES OF THE GENERAL PERMIT ARE AVAILABLE BY CALLING DEC (518) 402-8109 AND ON LINE. ADDITIONALLY, THE CONTRACTOR SHALL COMPLY WITH ALL TOWN OF BETHLEHEM MS4 REGULATIONS.
3. A NOTICE OF INTENT (NOI) MUST BE SUBMITTED TO DEC PRIOR TO INITIATING WORK.
4. THE SWPPP INCLUDES INFORMATION ON ALL DRAWINGS AND THE STORMWATER POLLUTION PREVENTION PLAN
5. PRIOR TO COMMENCEMENT OF CONSTRUCTION, THE CONTRACTOR SHALL HAVE THE ENGINEER CONDUCT AN ASSESSMENT OF THE SITE AND CERTIFY IN AN INSPECTION REPORT THAT THE APPROPRIATE EROSION AND SEDIMENT CONTROLS HAVE BEEN ADEQUATELY INSTALLED. FOLLOWING COMMENCEMENT OF CONSTRUCTION, THE ENGINEER SHALL MAKE SITE INSPECTIONS EVERY 7 DAYS.
6. THE CONTRACTOR SHALL MAINTAIN A RECORD OF ALL INSPECTION REPORTS IN A SITE LOG BOOK, MAINTAINED ON SITE AND AVAILABLE TO THE PERMITTING AUTHORITY UPON REQUEST.
5. AT COMPLETION OF CONSTRUCTION, THE CONTRACTOR SHALL PERFORM A FINAL INSPECTION TO CERTIFY THAT THE SITE HAS UNDERGONE FINAL STABILIZATION AND THAT ALL TEMPORARY EROSION AND SEDIMENTATION CONTROLS HAVE BEEN REMOVED. UPON CERTIFICATION OF COMPLETION A NOTICE OF TERMINATION (NOT) SHALL BE SUBMITTED TO NYS DEC.

6. THE CONTRACTOR SHALL HAVE A PERSON THAT HAS BEEN TRAINED IN EROSION AND SEDIMENT CONTROL PRACTICES ON SITE AT ALL TIMES DURING CONSTRUCTION THAT INVOLVES THE DISTURBANCE OF SOILS.
7. ALL SLOPES STEEPER THAN A 1V:4H SHALL BE STABILIZED WITH SEED, FERTILIZER AND A ROLLED EROSION CONTROL BLANKET.
8. ALL SLOPES LESS THAN A 1V:4H SHALL BE STABILIZED WITH SEED, FERTILIZER AND MULCH
9. ALL SEED, MULCH AND FERTILIZER APPLICATION RATES SHALL BE IN ACCORDANCE WITH THE NEW YORK STATE STANDARDS AND SPECIFICATIONS FOR EROSION AND SEDIMENT CONTROL "THE BLUE BOOK".
10. ALL WORK PERFORMED ON THE SITE SHALL BE IN ACCORDANCE WITH THE NEW YORK STATE STANDARDS AND SPECIFICATIONS FOR EROSION AND SEDIMENT CONTROL "THE BLUE BOOK".
11. ALL WORK PERFORMED IN ACCORDANCE WITH THE SWPPP.

MAINTENANCE

1. SEDIMENT SHALL BE REMOVED FROM SEDIMENT TRAPS WHENEVER THEIR CAPACITY HAS BEEN REDUCED BY 50%.
2. ALL EROSION AND SEDIMENT CONTROL DEVICES SHALL BE INSPECTED WITHIN 24 HOURS OF A STORM EVENT AND REPAIRED AND/OR MODIFIED AS REQUIRED TO BE GOOD WORKABLE CONDITION.
3. THE CONTRACTOR SHALL CONDUCT AN INSPECTION OF THE SITE ON A DAILY BASIS TO COLLECT LITTER AND CONSTRUCTION DEBRIS AND DISPOSE OF LEGALLY.
4. ANY STOCKPILES OF FILL, TOPSOIL, EXCAVATED MATERIAL SHALL BE COVERED OR CONTAINED BY SEDIMENT CONTROL FENCE TO PREVENT EROSION.
5. THE CONTRACTOR SHALL KEEP A DAILY INSPECTION LOG OF EROSION AND SEDIMENT CONTROL DEVICES.

- LEGEND
- HPS HANDICAP PARKING SIGN
 - ☆ LIGHT POLE
 - TREE DECIDUOUS - NUMBER IS DIAMETER
 - TREE CONIFEROUS - NUMBER IS DIAMETER
 - FFE FINISHED FLOOR ELEVATION
 - HYDRANT
 - SANITARY MANHOLE
 - CB STORM CATCH BASIN
 - WATER VALVE
 - C.I.R.F. CAPPED IRON ROD FOUND
 - I.R.F. IRON ROD FOUND
 - EXISTING CONTOUR



TOWN OF BETHLEHEM, NEW YORK
PLANNING DEPT. ORIGINAL
- SCANNED -
0 1 2 INCHES

PLANNING BOARD
TOWN OF BETHLEHEM
ALBANY COUNTY, NEW YORK
By direction of the Chairman,
These drawings are hereby approved.
See sheet(s) for details.
for date and signature.

NOTE: 72 HOURS PRIOR TO ANY CONSTRUCTION ACTIVITIES, THE CONTRACTOR SHALL CONTACT THE DIG SAFELY NEW YORK TO LOCATE ALL UNDERGROUND UTILITIES. 1-800-962-7962

NO.	DATE	REVISIONS
1	10-14	REVISED AS PER TOWN ENGINEERING COMMENTS
2	5-2-14	REVISED AS PER TOWN AND THE COMMENTS

Scaling off these drawings shall be done only by the engineer and shall use only the dimensions and electronic data only for layout and construction.

Unauthorized alterations or additions to this document is a violation of Sec. 7209 Sub. 2 of the NYS Education Law. Copyright 2014 Brett L. Stenburgh, P.E. PLLC. All rights reserved. No use or reproduction of this material is permitted without the written consent of Brett L. Stenburgh, P.E., PLLC.

BRETT L. STENBURGH, P.E. PLLC

2832 ROSENDALE ROAD
NISKAYUNA, NY 12309
PHONE - (518) 365-0875
FAX - (518) 280-6520
bstenbur@brycap.rr.com
brycap.rr.com

CIVIL ENVIRONMENTAL STRUCTURAL ENGINEERING

E & SC PLAN

BEVERWYCK ILLU ADDITION
TOWN OF BETHLEHEM
STATE OF NEW YORK

COUNTY OF ALBANY
DRAWN BY: BLS
CHECKED BY: BLS
JOB NO. BEVERWYCK, PHASE VI
DATE: MAY 12, 2014

SCALE: 1" = 40'
SHEET 14 OF 18