

Diagram illustrating the components of a roof assembly, labeled from top to bottom:

- WEATHER RESISTANT CAP FLASHING
- BARRIER MEMBRANE, BLOCKING TO SUPPORT CAP FLASHING
- DRIp EDGE TO DIRECT WATER AWAY FROM SURFACE OF WALL
- FILLET SEAL
- FACE-WRAP TERMINATION ONTO BLOCKING
- STD GOLD FILL WITH STD DETAIL MESH WRAPPED OVER PARAPET SUPPORTING STRUCTURE
- SUPPORTING STRUCTURE
- STD GOLD COAT
- STD GOLD FILL WITH STD DETAIL MESH
- SUBSTRATE
- STD INSULATION
- STD BASE COAT AND MESH
- STD FINISH

Diagram illustrating the cross-section of a wall assembly, showing the integration of the waterproofing system with the structural elements and finish.

Labels and components shown in the diagram:

- WATERPROOF CAP FLASHING
- BARRIER MEMBRANE
- BLOODING TO SUPPORT CAP FLASHING
- Drip edge to direct water away from surface of wall
- FACE-WRAP TERMINATION OVER ROOF BLOODING
- FILLET SEAL
- STD GOLD COAT
- STD GEL FILL AND STD DETAIL MESH WRAPPED OVER REINFORCING SUPPORTING STRUCTURE
- SUPPORTING STRUCTURE
- SUBSTRATE
- STD INSULATION
- STD BASE COAT AND MESH
- STD FINISH

0 INCHES 1
Town of Bethlehem, NY

SUPPORTING STRUCTURE

SUBSTRATE

STO GOLD FILL WITH STO DETAIL MESH

STO GOLD COAT

STO ADHESIVE

STO INSULATION

STO BASE COAT AND MESH

STO FINISH

STO GOLD COAT

STO GOLD FILL WITH STO DETAIL MESH

STARTER TRACK WITH WELD

Diagram illustrating the STOMAX system components and their application in a wall assembly:


- SUPPORTING STRUCTURE
- SUBSTRATE
- STO INSULATION
- STO MESH
- STO DETAIL MESH
- REVEAL
- STO BASE COAT
- MESH OVERLAP
- STO BASE COAT
- STO FINISH
- MINIMUM 3/4" (20MM) INSULATION
- STO ADHESIVE

Exploded perspective view of a substrate assembly. The assembly consists of a supporting structure, a substrate, STO insulation, STO mesh, STO base coat, STO finish, STO adhesive, and back-wrap termination.



867-4247 OFFICE, 861 7040 FAX
capitalarchitecture@yahoo.com

REVISIONS:


A2




1 FACADE ELEVATION
1/2\"/>




2 EIFS PENETRATION DETAIL
N.T.S.



3 EIFS PENETRATION DETAIL
N.T.S.



5 EIFS CONDUIT DETAIL
N.T.S.



4 EIFS BLOCKING DETAIL
N.T.S.

CAPITAL ARCHITECTURE
2360 WESTERN AVENUE
GUILDERLAND, NEW YORK 12084
861-4247 OFFICE, 861 7040 FAX, 253 1442 CELL
capitalarchitecture@yahoo.com

THIS WORK WAS PREPARED BY ME
OR UNDER MY SUPERVISION AND
CONSTRUCTION OF THIS PROJECT
WILL BE UNDER MY OBSERVATION.

SEAL OF THE TOWN OF BETHLEHEM, NEW YORK

GLENMONT FACADE
329 GLENMONT ROAD
GLENMONT, NY


ENLARGED ELEVATIONS AND DETAILS

PLANNING BOARD
TOWN OF BETHLEHEM
ALBANY COUNTY, NEW YORK

This Site Plan Approved. ..
George J. Finer
Title: Chairman
Date: October 5, 2010

SCALE:	AS NOTED	REVISIONS:
DATE:	1 JUNE 10	△
DRAWN:	AJD	△
SHEET #		△

A3



1 FACADE ELEVATION
1/2"=1'-0"

2 FACADE ELEVATION
1/2"=1'-0"

INCHES
Town of Bethlehem, NY

CAPITAL ARCHITECTURE
2390 WESTERN AVENUE
GUILDERLAND, NEW YORK 12084
867-4247 OFFICE, 861 7040 FAX, 253 1442 CELL
capitalarchitecture@yahoo.com

THIS WORK WAS PREPARED BY ME
FOR THE ARCHITECTURAL RECORD
CONSTRUCTION OF THIS PROJECT
WILL BE UNDER MY OBSERVATION.

GLENMONT FACADE

329 GLENMONT ROAD
GLENMONT, NY

LARGED ELEVATIONS AND DETAILS


PLANNING BOARD
TOWN OF BETHLEHEM
ALBANY COUNTY, NEW YORK

This Site Plan Approved.
George J. Jurek
Title *Ordinician*
Date *October 5, 2010*


SCALE:	AS NOTED	REVISIONS:
DATE:	1 JUNE 10	△
DRAWN:	AJD	△
SHEET #:		△
		△
		△

A4



COPYRIGHT PROTECTED: THIS WORK IS PROTECTED UNDER THE 1990 ARCHITECTURAL WORKS COPYRIGHT PROTECTION ACT AND ANY REVISIONS THEREOF




1 FACADE ELEVATION
1/2"=1'-0"



2 FACADE ELEVATION
1/2"=1'-0"



3 FACADE SECTION
3/4"=1'-0"



CAPITAL ARCHITECTURE
2380 WESTERN AVENUE
GUILDFORD, NEW YORK 12084
867-4247 OFFICE, 861 7040 FAX, 253 1442 CELL
capitalarchitecture@yahoo.com

GLENMONT FACADE

329 GLENMONT ROAD
GLENMONT, NY

ENLARGED ELEVATIONS AND DETAILS

SCALE:	AS NOTED	REVISIONS:
DATE:	1 JUNE 10	1
DRAWN:	AJD	2
SHEET #		3


A5



1 FACADE ELEVATION
1/2\"/>



2 FACADE ELEVATION - ALTERNATE G-3
1/2\"/>



PLANNING BOARD
TOWN OF BETHLEHEM
ALBANY COUNTY, NEW YORK
This Site Plan Approved:
George Finner
Title: Chairman
Date: October 5, 2010

SCALE:		AS NOTED	REVISIONS: 1 2 3 4 5	A6
DATE:	1 JUNE 10			
DRAWN:	AJD			
SHEET #				
GLENMONT FACADE				
329 GLENMONT ROAD GLENMONT, NY				
ENLARGED ELEVATIONS AND DETAILS				
CAPITAL ARCHITECTURE 2390 WESTERN AVENUE GUILDERLAND, NEW YORK 12084 867-4247 OFFICE, 861 7040 FAX, 253 1442 CELL capitalarchitecture@yahoo.com				



AS NOTED

DATE: 1 JUNE 10

DRAWN: AJP

SHEET # A8

REVISIONS:

DATE: 06/04/15

TITLE: UNKNOWN

THIS SITE PLAN APPROVED:

PLANNING BOARD
TOWN OF BETHLEHEM
ALBANY COUNTY, NEW YORK

ENLARGED ELEVATIONS AND DETAILS

GLENMONT, NY

329 GLENMONT ROAD

GLENMONT FACADE

THIS WORK WAS PREPARED BY ME
OR UNDER MY SUPERVISION AND
CONSTRUCTION OF THIS PROJECT
WILL BE UNDER MY OBSERVATION.

CAPITAL ARCHITECTURE

2390 WESTERN AVENUE
GUILDERLAND, NEW YORK 12084
867-4247 OFFICE, 861 7040 FAX, 253 1442 CELL
capitalarchitecture@yahoo.com

1

FACADE ELEVATION

1/2"=1'-0"

ANGELA'S
PIZZA & PASTA

17'-4"

7'-10 1/4"

2" EPS VERIFIER
OVER 6" IS/GA.
WOOD FRAMING
WITH 1" WIDE 4"
DEEP BRASS-SPD
GRID AT 24" O.C.
COLOR "T"X
TEXTURE "DOLUP"

REMOVE EXISTING SIGN
PROVIDE BRASS-SPD SIGN
WIRE SIGN BACK TO EXISTING JUNCTION BOX

ANCHORED ALUMINUM CORNING
W/EP OVER EPS BAND

ALUMINUM CORNING OVER EPS BAND

2

FACADE ELEVATION

1/2"=1'-0"

ANGELA'S
PIZZA & PASTA

12'-10"

9'-5 1/2"

9'-2"

CLEAN AND PAINT
EXISTING METAL ROOF
(COLOR "T"X)

3

EXISTING FACADE SECTION

1"=1'-0"

REMOVE METAL ROOFING AND BRACKET
AS NECESSARY TO ALLOW VENT FANING

5/8" (6") IS/GA. METAL SHEET
558ER TO EXISTING TO
EXTEND FACADE TO 90" VERTICAL

FLASH NEW ROOF MEMBRANE AND DRAINAGE ROOF
(THE WORK BY OWNER ROOF CONTRACTOR)
COORDINATE REMOVALS TO ENSURE
WEATHERTIGHT CONSTRUCTION AT ALL TIMES

FREE CANT

5/8" EPS OVER 1/2" OPSUM SHEATHING
OVER 6" IS/GA. METAL SHEET
WITH 5/8" SCREWS @ 12" O.C.

REINFORCED 2X60 WALKER
SCREWS TO METAL FRAMING @ 12" O.C.
WITH 5/8" SCREWS @ 12" O.C.
ALUMINUM SWAP CORNING
FASTEN AROUND CLEAN
AND FASTEN AT TOP WITH 5/8" SCREWS
ALUMINUM CLEAN @ 24" O.C.
4" W/EP CONTINUOUS EPS FASCIA

2" EPS VERIFIER
OVER OPSUM SHEATHING
SEE ELEVATIONS FOR DESIGN
AND DETAILS FOR CONSTRUCTION

6" W/EP STRIPS @ 16" O.C.
SCREWS SHIP TO EXISTING WOOD SHEET AT BOTTOM
FRAME VERTICAL PLUMB ITEM AROUND EXISTING BEAM

REMOVE EPS VERIFIER AROUND BOTTOM AND SHEETS
TO INSURE ALL EXPOSED SHEETS ARE FINISHED

4

FACADE SECTION

1"=1'-0"

2" EPS OVER 1/2" OPSUM SHEATHING
OVER 6" IS/GA. METAL SHEET
WITH 5/8" SCREWS @ 12" O.C.
WITH 1/2" W/EP STRIPS @ 4" O.C.

REMOVE EPS VERIFIER
OVER OPSUM SHEATHING
SEE ELEVATIONS FOR DESIGN
AND DETAILS FOR CONSTRUCTION

6" W/EP STRIPS @ 16" O.C.
SCREWS SHIP TO EXISTING WOOD SHEET AT BOTTOM
FRAME VERTICAL PLUMB ITEM AROUND EXISTING BEAM

2" EPS VERIFIER
OVER OPSUM SHEATHING
SEE ELEVATIONS FOR DESIGN
AND DETAILS FOR CONSTRUCTION

REMOVE EPS VERIFIER AROUND BOTTOM AND SHEETS
TO INSURE ALL EXPOSED SHEETS ARE FINISHED

5

FACADE SECTION

5/8"=1'-0"

6" W/EP STRIPS @ 16" O.C.
SCREWS SHIP TO EXISTING WOOD SHEET AT BOTTOM
FRAME VERTICAL PLUMB ITEM AROUND EXISTING BEAM

2" EPS OVER 1/2" OPSUM SHEATHING
OVER 6" IS/GA. METAL SHEET
WITH 5/8" SCREWS @ 12" O.C.
WITH 1/2" W/EP STRIPS @ 4" O.C.


REMOVE EPS VERIFIER
OVER OPSUM SHEATHING
SEE ELEVATIONS FOR DESIGN
AND DETAILS FOR CONSTRUCTION

6" W/EP STRIPS @ 16" O.C.
SCREWS SHIP TO EXISTING WOOD SHEET AT BOTTOM
FRAME VERTICAL PLUMB ITEM AROUND EXISTING BEAM

2" EPS VERIFIER
OVER OPSUM SHEATHING
SEE ELEVATIONS FOR DESIGN
AND DETAILS FOR CONSTRUCTION

REMOVE EPS VERIFIER AROUND BOTTOM AND SHEETS
TO INSURE ALL EXPOSED SHEETS ARE FINISHED


Copyright 2010 by Capital Architecture, LLC. All rights reserved. No part of this document may be reproduced without written permission from Capital Architecture, LLC.



GLENMONT FACADE

329 GLENMONT ROAD
GLENMONT, NY

CAPITAL ARCHITECTURE
2380 WESTERN AVENUE
GUILDERLAND, NEW YORK 12084
867-4247 OFFICE 861 7040 FAX, 253 1442 CELL
capitalarchitecture@yahoo.com



AREA OF WORK

CONSTRUCTION NOTES:

- THE INTENT OF THE DRAWINGS IS TO PRODUCE THE INTENDED RESULTS UNDER RECOGNIZED STANDARDS EVEN IF NOT SHOWN, BUT REASONABLY INFERRABLE THEREFROM. THE CONTRACTOR SHALL CHECK ALL DRAWINGS FURNISHED TO HIM/HER IMMEDIATELY UPON THEIR RECEIPT AND SHALL PROMPTLY NOTIFY THE DESIGNERS OF ANY DISCREPANCIES. LARGER SCALE DRAWINGS TAKE PRECEDENCE OVER SMALLER SCALE DRAWINGS, AND DETAILS TAKE PRECEDENCE OVER ALL. THE CONTRACTOR SHALL COMPARE ALL DRAWINGS AND VERIFY THE DETAILS BEFORE LAYING OUT THE WORK AND SHALL BE RESPONSIBLE FOR ANY ERRORS WHICH MIGHT HAVE BEEN AVOIDED THEREBY.
- ALL WORK SHALL BE PERFORMED IN ACCORDANCE WITH THE IBC OF NEW YORK STATE 2007 AND TOWN OF BETHLEHEM BUILDING CODES.
- CONTRACTORS ARE TO NOTIFY ARCHITECT IMMEDIATELY IF ANY DISCREPANCIES OCCUR BEFORE PROCEEDING WITH THE RELATED WORK.
- ALL WORK SHALL BE PERFORMED IN A MANNER THAT PROTECTS BUILDING OCCUPANTS, VISITORS AND THEIR POSSESSIONS. THE CONTRACTOR SHALL PROVIDE ADEQUATE VENTILATION DURING ALL WORK EMITTING FUMES AND ODORS SO AS NOT TO AFFECT ANY PERSON IN THE WORK AREA AND BUILDING IN GENERAL.
- CONTRACTORS TO COORDINATE WITH OWNER'S REPRESENTATIVE FOR SCHEDULING OF WORK CAUSING NOISE, DUST, OR FUMES.
- ALL EXISTING DIMENSIONS ARE TO FACE OF GYP. BD. (UNLESS OTHERWISE NOTED, ALL NEW WORK DIMENSIONS ARE TO FACE OF STUD).
- CONTRACTORS ARE TO KEEP THIS PREMISES FREE FROM ACCUMULATION OF WASTE MATERIALS, CONSTRUCTION DEBRIS AND RUBBISH AND DISPOSE OF LAWFULLY.
- ALL WORK SHALL BE CONFINED TO THE DESIGNATED PROJECT LIMITS EXCEPT FOR ANY REMOTE MECHANICAL AND ELECTRICAL ITEMS. ANY DAMAGE CAUSED BY THE CONTRACTOR TO THE ADJOINING IMPROVEMENTS SHALL BE REPAIRED BY THE CONTRACTOR AT HIS OR HER EXPENSE.
- ALL ITEMS TO REMAIN SHALL BE PROTECTED DURING THE CONSTRUCTION PERIOD.
- RENOVATION SHALL CONFORM WITH THE LATEST VERSION OF THE ACCESSIBILITY GUIDELINES OF THE ANSI 117.1
- FIRE SAFETY DURING CONSTRUCTION, ALTERATION OR REMOVAL SHALL BE IN ACCORDANCE WITH ART. 87, U.F.C., 1986, AS AMENDED.
- ALL PENETRATIONS, RESULTING FROM NEW WORK OR REMOVALS, THROUGH FIRE RATED PARTITIONS SHALL BE FIRE STOPPED WITH A U.L. APPROVED FIRE RATED CAULKING SYSTEM AS SPECIFIED. WHERE CORING AT CONC. FLOOR SLAB IS REQUIRED, THE CONTRACTOR SHALL DETERMINE LOCATION AND AVOID DISRUPTION OF CONC. SLAB REINFORCEMENT. ALL PENETRATIONS THROUGH NON-FIRE RATED PARTITIONS, RESULTING FROM NEW WORK OR REMOVALS, SHALL BE PATCHED.
- ALL ELECTRICAL, PHONE, DATA OUTLET LOCATIONS SHALL BE COORDINATED WITH FURNITURE INSTALLERS OR TENANT.
- CONTRACTOR SHALL COORDINATE ALL BLOCKING REQUIREMENTS FOR EQUIPMENT AND ACCESSORIES. ALL BLOCKING REQUIRED FOR EQUIPMENT AND ACCESSORIES SHALL FOLLOW MANUFACTURER'S RECOMMENDATION.
- ALL PATCH WORK SHALL MATCH ADJACENT SURFACE FINISH, UNLESS THE CONTRACTOR SHALL COORDINATE THE SCOPE OF WORK AND SCHEDULE BUILDING OWNER OF ANY CHANGES TO THE SCOPE OF WORK OR SCHEDULE WITH THE BUILDING OWNER. THE CONTRACTOR SHALL INFORM THE
- ALL INTERIOR FINISHES SHALL BE CLASS A RATED FOR FLAMMABILITY AND IN ACCORDANCE WITH FEDERAL AND ASTM APPROVED GUIDELINES.
- ALL CONCRETE IS 3000# FIBER-REINFORCED (U.N.O.)
- ALL FASTENERS IN CONTACT WITH TREATED WOOD SHALL BE STAINLESS STEEL
- ALL WOOD IN CONTACT WITH CONCRETE OR EXPOSED TO THE WEATHER SHALL BE TREATED WOOD
- ALL WALLS PARALLEL TO FLOOR STRUCTURE SHALL HAVE DOUBLE JOISTS BELOW
- ALL SITE INFORMATION WAS GIVEN BY OWNER. OWNER IS RESPONSIBLE FOR BUILDING LOCATION.
- ALL FLOOR JOISTS AND ROOF RAFTERS TO BE SECURED WITH SIMPSON HANGERS
- ALL SITE INFORMATION WAS GIVEN BY OWNER. OWNER HAS BEEN ADVISED TO CONSULT A SURVEYOR FOR LOCATION OF ADDITIONS
- ALL WOOD USED IN TYPE 1 & 2 CONSTRUCTION SHALL BE FIRE TREATED


REMOVAL NOTES:

- CONTRACTOR SHALL CAREFULLY STUDY THE CONSTRUCTION DOCUMENTS AND VISIT THE SITE TO VERIFY THE EXTENT AND LOCATION OF REMOVAL WORK TO BE PERFORMED.
- NOTIFY ARCHITECT IMMEDIATELY IF THERE ARE ANY EXISTING CONDITIONS THAT DO NOT MATCH CONSTRUCTION DOCUMENTS.
- COORDINATE ELECTRICAL AND MECHANICAL DEMOLITION WITH THE BUILDING OWNER AS REQUIRED. SHUT OFF, CAP AND OTHERWISE PROTECT PUBLIC AND TENANT UTILITY LINES AND SERVICE IN ACCORDANCE WITH THE REQUIREMENTS OF THE AGENCIES AND UTILITIES HAVING JURISDICTION.
- COMPLETELY REMOVE ITEMS SCHEDULED TO BE REMOVED, LEAVING SURFACES CLEAN, SOLID AND READY TO RECEIVE NEW MATERIALS.
- CONTRACTOR TO NOTIFY ARCHITECT IF THERE ARE ANY DISCREPANCIES WITH OR CLARIFICATIONS NEEDED FOR ANY EXISTING OR NEW FIRE RATED WALLS.
- PROTECT EXISTING FINISHES TO REMAIN DURING ALL PHASES OF CONSTRUCTION.
- REMOVE EXISTING FLOORING AS NOTED PATCH AND REPAIR AS NECESSARY TO RECEIVE NEW FINISH AS SCHEDULED. PROVIDE TEMPORARY SHORING AND BARRIERS AS NEEDED AT STRUCTURAL OPENINGS.
- SECURE ALL AREAS DURING REMOVAL AND PROTECT PREMISES FROM VANDALISM, BURGLARY AND THE WEATHER. WORK SUCH AS WINDOW AND DOOR REMOVAL SHOULD BE COORDINATED WITH INSTALLATION OF NEW REPLACEMENT ASSEMBLIES AS TO CAUSE MINIMAL RISK TO BUILDING SECURITY AND FUNCTION.
- COORDINATE NOISE, DUST CONTROL, SECURITY ISSUES AND ACCESS WITH BUILDING OWNER.
- CONTRACTOR SHALL PATCH AND REPAIR TO MATCH EXISTING FINISHES OF ALL DAMAGES CAUSED TO THE EXISTING CONDITIONS DURING REMOVAL AND CONSTRUCTION.

SHEET NO.

DRAWING INDEX:

T1	TITLE SHEET
A1	KEY PLAN AND ELEVATIONS
A2	ENLARGED ELEVATION AND DETAILS
A3	ENLARGED ELEVATION AND DETAILS
A4	ENLARGED ELEVATION AND DETAILS
A5	ENLARGED ELEVATION AND DETAILS
A6	ENLARGED ELEVATION AND DETAILS
A7	ENLARGED ELEVATION AND DETAILS
A8	ENLARGED ELEVATION AND DETAILS



MATERIAL INDICATIONS

	POURED CONCRETE
	C.M.U. CONCRETE BLOCK
	PLYWOOD
	GLAZING
	ACOUSTIC TILE CEILING BOARD OR PANEL
	GYPSUM BOARD
	INSULATION
	STEEL (OMIT INDICATION IN THIN MATERIAL)
	WOOD FRAMING THROUGH MEMBER
	WOOD, FINISH
	CERAMIC TILE, QUARRY TILE OR RESILIENT FLOORING (SHOW PROFILE ONLY)

ARCHITECTURAL SYMBOLS

PLAN ORIENTATION	
SHEET NUMBER	A-10
ROOM IDENTIFICATION	
SECTION	
ELEVATION	
DOOR TYPE	
WINDOW TYPE	
FLOOR ELEVATION	
PERMANENTLY WIRED SMOKE/ CARBON MONOXIDE ALARM	
REVISION	
KEYNOTE	
NEW SURE-LITES CC SERIES EMERGENCY LIGHTING WITH BATTERY BACK UP. MODEL# CC-4-WH-6 VOLT	
NEW SURE-LITES CCX SERIES EMERGENCY AND EXIT LIGHTING WITH BATTERY BACK UP. MODEL# CCX-3-1-B-RWO	
HORN STROBE	
PHONE JACK	
DATA JACK	

GLENMONT FACADE

329 GLENMONT ROAD
GLENMONT, NY


TITLE SHEET

REVISIONS:


SCALE:	AS NOTED	DATE:	1 JUNE 10	DRAWN:	AJD	SHEET#	T1
--------	----------	-------	-----------	--------	-----	--------	----

SPA 110-D



1 KEY PLAN
1/32"=1'-0"



2 EXISTING ELEVATION
1/16"=1'-0"



3 FACADE ELEVATION
1/16"=1'-0"




PLANNING BOARD
TOWN OF BETHLEHEM
ALBANY COUNTY, NEW YORK
This Site Plan Approved.
George F. ...
Title: Chairman
Date: October 5, 2010
SPA 110 D

GLENMONT FACADE

329 GLENMONT ROAD
GLENMONT, NY

KEY PLAN AND KEY ELEVATIONS

THIS WORK WAS PREPARED BY ME
OR UNDER MY SUPERVISION AND
CONSTRUCTION OF THIS PROJECT
WILL BE UNDER MY OBSERVATION.



CAPITAL ARCHITECTURE
2390 WESTERN AVENUE
GUILDERLAND, NEW YORK 12084
867-4247 OFFICE, 861 7040 FAX, 253 1442 CELL
capitalarchitecture@yahoo.com

SCALE:	AS NOTED	REVISIONS:
DATE:	1 JUNE 10	
DRAWN:	AJD	
SHEET #		

A1