



UTILITIES LEGEND		
DESCRIPTION	EXISTING	PROPOSED
FENCE	—*— * —*	
5' OR 10' CONTOUR LINE	— 200 —	— 250 —
1' OR 2' CONTOUR LINE	— - - - -	— 202 —
STORM SEWER		— ST —
SANITARY SEWER		— SAN —
WATER LINE		— W —
GAS LINE		— G —
EDGE OF STREAM OR RIVER	— . . . —	— . . . —
LAKE OR POND	— () —	— () —
PROPERTY LINE	— — —	— - - - -
GRADING LIMITS		— — —
EDGE OF PAVEMENT	— — —	— — —
EDGE OF WOODS	— w w w —	
BUILDING	[]	[]
CATCH BASIN	□	□
MANHOLE	◎	◎
HYDRANT	•	•
WETLAND/MARSH	↓ ↓ ↓ ↓ ↓	

UTILITY NOTES:

1. ANY UTILITY WORK WITHIN DELAWARE AVENUE OR ELSMERE AVENUE TO BE COORDINATED WITH NEW YORK STATE DEPARTMENT OF TRANSPORTATION.
2. MINIMUM OF 10 FEET HORIZONTAL SEPARATION TO BE PROVIDED BETWEEN WATER AND SEWER SERVICES.
3. PRIOR TO ANY WORK ON SANITARY SEWER AND WATER, THE CONTRACTOR SHALL OBTAIN THE NECESSARY PERMITS FROM THE BETHLEHEM DEPARTMENT OF PUBLIC WORKS.
4. ALL UTILITIES TO BE INSTALLED IN ACCORDANCE WITH TOWN STANDARD DETAILS AND SPECIFICATIONS. PRIOR TO CONSTRUCTION, THE CONTRACTOR SHALL OBTAIN THESE MATERIALS FOR USE ON THE JOB.
5. TRANSFORMER(S) WILL BE PLACED AS REQUIRED BY THE SERVICE PROVIDER.
6. PRIVATE UNDERGROUND UTILITIES ARE SHOWN IN APPROXIMATE LOCATIONS. FINAL DESIGN TO BE COMPLETED BY UTILITY COMPANIES OR ELECTRICAL ENGINEER, INCLUDING EXACT ROUTING, NUMBER OF CONDUITS, ETC.
7. REFER TO TOWN OF BETHLEHEM STANDARD DETAIL SHEETS FOR ADDITIONAL STORM, WATER AND SEWER DETAILS.
8. ALL WORK WITHIN THE NYSDOT RIGHT-OF-WAY TO BE COORDINATED AND PERMITTED THROUGH NYSDOT.

UNAUTHORIZED ALTERATION OR ADDITION
TO THIS DOCUMENT IS A VIOLATION OF
APPLICABLE STATE AND/OR LOCAL LAWS

3	Project Title Change	MBT	8/01/11
2	Final Submission	MBT	5/25/11
1	PER TOWN COMMENTS	MBT	4/22/11
No.	Submittal / Revision	App'd	Date

Drawn: TAR Date: 2/11
Designed: TAR Date: 2/11
Checked: MBT Date: 2/11

Project Number

Project Title

**Delaware & Elsmere Ave's
Bethlehem, NY**

Prepared For

**Patroon
Development LLC**

RECEIVED
JUL 3 2011

Town of Bethlehem Planning Board

Planning Board

Utilities Plan

Drawing Scale:
1" = 30'
Date: 8/01/2011

Issued For

SITE PLAN REVIEW

Drawing Number

C-8