



- 4 - DESIGN OF SEPTIC TANKS AND TILES BASED ON 3, 4 AND 5 BEDROOMS AND A TRANSVAPEER-
COLATION RATE OF 0.5 GAL. PER TRENCH SQ. FT. PER DAY.
- 5 - LINES: HOUSE TO TANK TO BE 4" Ø CAST IRON PIPE W/ LEAD CAULKED JOINTS, 1/4" PER FT.; TANK
TO BOX TO BE SOLID ORANGEGRUB, 1/8" PER FT.; BOX TO FIELD TO BE SOLID ORANGEGRUB 1/4"
PER FT.; FIELD TO BE PERFORATED TILE 1/4" PER FT. TO LEVEL.
- 6 - SEPTIC TANK AND DIST. BOX TO BE STANDARD REINFORCED WATERPROOFED CONC. COMMERCIAL
TANK AND BOX BY FORT MILLER CO., NORWALK VAULT CO. OR OTHER APPROVED MANUFACTURER.
- 7 - FILL TO BE USED MUST BE APPROVED BY THE ALBANY COUNTY HEALTH DEPARTMENT.
- 8 - WATER MAIN MATERIAL, SIZE AND LOCATION DETERMINED BY TOWN OF BETHLEHEM WATER
DISTRICT NO. 1.
- 9 - EASEMENTS SHOWN TO BE GRANTED TO THE TOWN OF BETHLEHEM.
- 10 - PROPOSED FINISHED GRADES SHOWN THUS: ± 112.10
- 11 - ALL RIGHT OF WAY WIDTHS TO BE 50 FT. MEASURED AT RIGHT ANGLES.
- 12 - CONTOUR INTERVAL (5') FIVE FT.
- 13 - PROPOSED GAS MAIN SHOWN THUS: — G — G — G — G — G —
- 14 - PROPOSED 6" C.I. WATER MAIN SHOWN THUS: — W — W — W — W — W —
- 15 -  DENOTES BORINGS. .
 DENOTES LOCATIONS TESTS.
- TYPICAL LOT LAYOUTS
- 158' 0" INCHES TOWN OF BETHLEHEM 1/4"

LOT LAYOUTS

0 INCHES 1 2

MAP OF
"SOUTHWOOD"
EXTENSION - 1
PROPERTY OF
WOODROW J.
BEAUREGARD

TOWN: BETHLEHEM	COUNTY: ALBANY
-----------------	----------------

STATE: NEW YORK	DATE: MAY 28, 196
-----------------	-------------------

DOWN	REVISION NO:
------	--------------

Map Prepared by